

VIRO-STAT RTU

Ready-To-Use Disinfectant Cleaner

Form: Liquid

Color: Colorless, Clear

Odor: Floral

pH: 11.00

Solubility (in water): Soluble
(in mineral spirits): No data available

VOC Content (% by weight): <0.1

Flash Point (Closed Cup): >200 °F

Specific Gravity: 1.00 g/cm³

Density: 8.35 lbs /gal

<u>This Product Contains:</u>	<u>C.A.S. #</u>
Water	7732-18-5
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides.....	68424-85-1
Decyldimethyloctylammonium chloride	32426-11-2
Didecyldimethylammonium chloride.....	7173-51-5
Dimethyldioctylammonium chloride	5538-94-3

Effective against...

- **HIV-1**
AIDS Virus
- **Hepatitis B & C Virus**
HBV & HCV
- **Herpes Simplex Type 2**
HSV-2
- **Influenza Type A/Brazil**
Influenza
- **Respiratory Syncytial Virus**
RSV

...And many more viruses, animal viruses, bacteria, and fungi

DIRECTIONS: Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

FOR DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD & MILDEW CONTROL: Apply VIRO-STAT RTU undiluted to hard, nonporous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended. For sprayer applications, use a coarse spray device. Spray 6 – 8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray.

TO CLEAN AND DEODORIZE: Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

CONSULT PRODUCT LABEL FOR DETAILED USE INSTRUCTIONS

HMIS®			NFPA®		
	Severe	4	Extreme		
Health	Serious	3	High	Health	1
Flammability.....	Moderate	2	Moderate	Flammability.....	1
Reactivity.....	Slight	1	Slight	Reactivity.....	0
Personal Protection	Minimal	0	Insignificant	Special Precautions.....	None